


EASY on moderni biokäymälä. SEP (erottelu) tai ECO (ei erottelua)
EASY on hajuton, hygieeninen käymäläratkaisu sisälle tai ulkorakennukseen.

Kapasiteetti n. 120 käyttökertaa ennen vaunun tyhjennystä tai vaihtoa.
Astiassa käytetään DryMix -kompostikuiviketta.

Asennukseen 20-30 cm tila rakennuksen alle,
laite asennetaan maan/ esim betonilaatan päälle.
Eroteltu virtsa / ylimääräneste kerätään
erilliseen astiaan. Tyhjennys rakennuksen
takaseinän (aukon tai luukun kautta). Tuuletus-
putki ja nesteeneräys rakennuksen ulkopuolelle.
Helppo huoltaa omatoimisesti.



DryMix



Edut EASY

- Hajuton, hygieeninen, pienikokoinen, vahvatekoinen
- Säädettävä ilmankierto
- Helppo tyhjentää, vaihto-, tyhjennysväli (120 k-vrk/hlö)
- Materiaali polyeteenimuovi
- ilmastoitu - hajuton - hygieeninen - helppohoitoinen - edullinen

Linkit lisämateriaaliin:

[Manual EASY](#)

[Piirustukset EASY ja muut IN mallit](#)

[Usein kysyttyä](#)

Tekniset tiedot EASY



- 500 mm (p) x 400 mm (l) x 810 mm (k), 13 kg
- materiaali PE-muovi
- kapasiteetti 120 käyttökertaa


Toimituksen sisältö:

- SEP -istuin tai ECO istuin, istuinsuoja ja kansi
- nesteeneräysputkisto 32mm, ilmastoitu 75-110mm
- kulma 75- 90°, 75-110mm, 110mm hattu
- Drymix 5 L kompostirouhe+ kauha
- 20 l nesteeneräysastia

Lisätarvikkeet:

Puhallin 230 V (säädettävä) tai 12 V, lisävaunu kannella ,DryMix kompostirouhe







EASY

Easy är en modern biotoalett, med SEP (separation) eller ECO (ingen separation) sits. Det är en luktfri, hygienisk toalettlösning.

Kapaciteten för en 120 vagn är ca. 120 användningar. Vagnen töms (eller ersatt med en ny). Komposteringen påskyndas med DryMix kompostströ.

För installation, min. 20 cm utrymme krävs under golvet. Easy är installerat på bottenvåning. Separerad urin/överskottsvätska är samlas i en dunk (20l). Ta bort vagnen genom byggnadens bakvägg (öppning eller lucka). Ventilationsrör och vätska samlingen leds utanför byggnaden. Lätt är lätt att underhålla.



DryMix



Förmåner EASY

- Odorless, hygienic, small, strong
- Adjustable and closed air circulation
- Easy to empty, change the van, emptying interval (120 uses)
- Material polyethylene plastic
- Ventilated - odorless - hygienic
- easy to maintain - affordable

Technical data Easy:



- seat 500 mm (d) x 400 mm (w) x 100 mm (h)
- 120 van 500 (d) x 400 mm (w) x 680 mm (h)
- material PE plastic
- capacity 120 uses

Delivery contents:

- SEP seat or ECO seat, seat cover
- 120 van, liquid piping 32mm, air ventilation 75-110mm, angle 75-90°, adapt. 75-110mm, 110mm hat
- Drymix 5 L compost litter + bucket
- 20 l liquid collection canister

Accessories:

- Fan 230 V (adjustable) or 12 V, additional trailer with cover, DryMix compost litter




Länkar:

[Manual EASY](#)

[Ritningar EASY](#)

[Ofta frågad \(FAQ\)](#)





EASY

Easy is a modern bio toilet, SEP (separation) or ECO (no separation) seat.
It is an odorless, hygienic toilet solution.

The capacity of a 120 van is approx. 120 uses. The van is emptied (or replaced with a new one). Composting is accelerated with DryMix compost litter.

For installation, min. 20 cm space is required under the floor. Easy is installed on the ground/ floor. Separated urine/ excess liquid is collected in a canister (20l). Removing the van through the back wall of the building (opening or hatch). Ventilation pipe and liquid collection is led outside of the building.

Easy is easy to maintain.



DryMix



Advantages Easy

- Odorless, hygienic, small, strong
- Adjustable and closed air circulation
- Easy to empty, change the van, emptying interval (120 uses)
- Material polyethylene plastic
- Ventilated - odorless - hygienic
- easy to maintain - affordable

Technical data Easy:



- seat 500 mm (d) x 400 mm (w) x 100 mm (h)
- 120 van 500 (d) x 400 mm (w) x 680 mm (h)
- material PE plastic
- capacity 120 uses

Delivery contents:

- SEP seat or ECO seat, seat cover
- 120 van, liquid piping 32mm, air ventilation 75-110mm, angle 75-90°, adapt. 75-110mm, 110mm hat
- Drymix 5 L compost litter + bucket
- 20 l liquid collection canister

Accessories:

- Fan 230 V (adjustable) or 12 V, additional trailer with cover, DryMix compost litter



Links:

[Manual EASY - installation, use](#)

[Drawings EASY and other IN modells](#)

[Often asked FAQ](#)